

MOUNTED FLAP WHEELS

Keying abrasives mounted flap wheel made by high-quality domestic cloth and pure imported cloth, with the features of good comprehensive performance capacity, strong grinding force, accurate concentricity and long service life. It widely apply in casting parts, hardware, metal accessories, auto parts, aviation manufacturing, transportations, ship building and processing and other high coarse and fine polishing industries, suitable for metal, nonferrous metal, rare metal, aluminum alloy, iron, plastic, plastic cement surface rust removing, deburring, grinding, polishing, cleaning and finishing.



WORKING PRINCIPLE OF THE FLAP WHEEL:

- ▶ Reducing wear and thermal load of the workpiece can be achieved by reducing contact pressure and speed.
- ▶ In order to avoid unnecessary tool wear and thermal load, choose to switch to coarser-grit abrasive clothes instead of increasing contact pressure to increase cutting force.
- ▶ Using the rational speed index, please refer to the table for the recommended peripheral speeds.
- ▶ Increasing the cutting speed achieves a slightly finer surface. Increasing the contact pressure makes the surface slightly more coarse and if you use the same grit size on soft or hard material the surface finish will look coarse on the softer material.
- ▶ With high elasticity, good synchronous consumption, suitable for a variety of plane, curved surface and corner polishing.



MOUNTED FLAP WHEELS

General information




TABLE:

Mounted Flap Wheels					
Diameter (D) x Height (H) x Shaft (d) in mm	Girt (#)	Max. operating speed	Max.RPM	Packing unit/pcs.	Product Code
10×10×3	80	40m/s	76300rpm	25	FW11001
10×10×3	100	40m/s	76300rpm	25	FW11002
10×10×3	120	40m/s	76300rpm	25	FW11003
10×10×3	180	40m/s	76300rpm	25	FW11004
10×10×3	240	40m/s	76300rpm	25	FW11005
10×10×3	320	40m/s	76300rpm	25	FW11006
10×10×3	400	40m/s	76300rpm	25	FW11007
10×15×3	80	40m/s	76300rpm	25	FW11008
10×15×3	100	40m/s	76300rpm	25	FW11009
10×15×3	120	40m/s	76300rpm	25	FW11010
10×15×3	180	40m/s	76300rpm	25	FW11011
10×15×3	240	40m/s	76300rpm	25	FW11012
10×15×3	320	40m/s	76300rpm	25	FW11013
10×15×3	400	40m/s	76300rpm	25	FW11014
15×10×3	80	40m/s	38150rpm	25	FW11015
15×10×3	100	40m/s	38150rpm	25	FW11016
15×10×3	120	40m/s	38150rpm	25	FW11017
15×10×3	180	40m/s	38150rpm	25	FW11018
15×10×3	240	40m/s	38150rpm	25	FW11019
15×10×3	320	40m/s	38150rpm	25	FW11020
15×10×3	400	40m/s	38150rpm	25	FW11021
15×15×3	80	40m/s	38150rpm	25	FW11022
15×15×3	100	40m/s	38150rpm	25	FW11023
15×15×3	120	40m/s	38150rpm	25	FW11024
15×15×3	180	40m/s	38150rpm	25	FW11025
15×15×3	240	40m/s	38150rpm	25	FW11026
15×15×3	320	40m/s	38150rpm	25	FW11027
15×15×3	400	40m/s	38150rpm	25	FW11028
15×20×3	80	40m/s	38150rpm	25	FW11029
15×20×3	100	40m/s	38150rpm	25	FW11030
15×20×3	120	40m/s	38150rpm	25	FW11031
15×20×3	180	40m/s	38150rpm	25	FW11032
15×20×3	240	40m/s	38150rpm	25	FW11033
15×20×3	320	40m/s	38150rpm	25	FW11034
15×20×3	400	40m/s	38150rpm	25	FW11035
20×05×3	60	40m/s	38150rpm	25	FW11036
20×05×3	80	40m/s	38150rpm	25	FW11037
20×05×3	120	40m/s	38150rpm	25	FW11038
20×05×3	180	40m/s	38150rpm	25	FW11039
20×05×3	240	40m/s	38150rpm	25	FW11040
20×05×3	320	40m/s	38150rpm	25	FW11041
20×05×3	400	40m/s	38150rpm	25	FW11042
20×10×3	60	40m/s	38150rpm	25	FW11043
20×10×3	80	40m/s	38150rpm	25	FW11044
20×10×3	120	40m/s	38150rpm	25	FW11045
20×10×3	180	40m/s	38150rpm	25	FW11046
20×10×3	240	40m/s	38150rpm	25	FW11047
20×10×3	320	40m/s	38150rpm	25	FW11048
20×10×3	400	40m/s	38150rpm	25	FW11049
20×10×6	60	40m/s	38150rpm	25	FW11050
20×10×6	80	40m/s	38150rpm	25	FW11051
20×10×6	120	40m/s	38150rpm	25	FW11052
20×10×6	180	40m/s	38150rpm	25	FW11053
20×10×6	240	40m/s	38150rpm	25	FW11054
20×10×6	320	40m/s	38150rpm	25	FW11055
20×10×6	400	40m/s	38150rpm	25	FW11056
20×15×6	40	40m/s	38150rpm	25	FW11057
20×15×6	60	40m/s	38150rpm	25	FW11058
20×15×3	80	40m/s	38150rpm	25	FW11059
20×15×3	120	40m/s	38150rpm	25	FW11060

Other dimensions custom please visit www.kytools.cn or send to beibei.liu@kytools.cn

MOUNTED FLAP WHEELS

General information




TABLE:

Mounted Flap Wheels					
Diameter (D) x Height (H) x Shaft (d) in mm	Girt (#)	Max. operating speed	Max.RPM	Packing unit/pcs.	Product Code
20×15×3	180	40m/s	38150rpm	25	FW11061
20×15×3	240	40m/s	38150rpm	25	FW11062
20×15×3	320	40m/s	38150rpm	25	FW11063
20×15×3	400	40m/s	38150rpm	25	FW11064
20×15×6	80	40m/s	38150rpm	25	FW11065
20×15×6	120	40m/s	38150rpm	25	FW11066
20×15×6	180	40m/s	38150rpm	25	FW11067
20×15×6	240	40m/s	38150rpm	25	FW11068
20×15×6	320	40m/s	38150rpm	25	FW11069
20×15×6	400	40m/s	38150rpm	25	FW11070
20×20×3	40	40m/s	38150rpm	25	FW11071
20×20×3	60	40m/s	38150rpm	25	FW11072
20×20×3	80	40m/s	38150rpm	25	FW11073
20×20×3	120	40m/s	38150rpm	25	FW11074
20×20×3	180	40m/s	38150rpm	25	FW11075
20×20×3	240	40m/s	38150rpm	25	FW11076
20×20×3	320	40m/s	38150rpm	25	FW11077
20×20×3	400	40m/s	38150rpm	25	FW11078
20×20×6	40	40m/s	38150rpm	25	FW11079
20×20×6	60	40m/s	38150rpm	25	FW11080
20×20×6	80	40m/s	38150rpm	25	FW11081
20×20×6	120	40m/s	38150rpm	25	FW11082
20×20×6	180	40m/s	38150rpm	25	FW11083
20×20×6	240	40m/s	38150rpm	25	FW11084
20×20×6	320	40m/s	38150rpm	25	FW11085
20×20×6	400	40m/s	38150rpm	25	FW11086
20×25×6	40	40m/s	38150rpm	25	FW11087
20×25×6	60	40m/s	38150rpm	25	FW11088
20×25×6	80	40m/s	38150rpm	25	FW11089
20×25×6	120	40m/s	38150rpm	25	FW11090
20×25×6	180	40m/s	38150rpm	25	FW11091
20×25×6	240	40m/s	38150rpm	25	FW11092
20×25×6	320	40m/s	38150rpm	25	FW11093
20×25×6	400	40m/s	38150rpm	25	FW11094
25×5×3	40	40m/s	38150rpm	25	FW11095
25×5×3	60	40m/s	38150rpm	25	FW11096
25×5×3	80	40m/s	38150rpm	25	FW11097
25×5×3	120	40m/s	38150rpm	25	FW11098
25×5×3	150	40m/s	38150rpm	25	FW11099
25×5×3	240	40m/s	38150rpm	25	FW11100
25×5×3	320	40m/s	38150rpm	25	FW11101
25×5×3	400	40m/s	38150rpm	25	FW11102
25×5×6	40	40m/s	38150rpm	25	FW11103
25×5×6	60	40m/s	38150rpm	25	FW11104
25×5×6	80	40m/s	38150rpm	25	FW11105
25×5×6	120	40m/s	38150rpm	25	FW11106
25×5×6	150	40m/s	38150rpm	25	FW11107
25×5×6	240	40m/s	38150rpm	25	FW11108
25×5×6	320	40m/s	38150rpm	25	FW11109
25×5×6	400	40m/s	38150rpm	25	FW11110
25×10×3	40	40m/s	38150rpm	25	FW11111
25×10×3	60	40m/s	38150rpm	25	FW11112
25×10×3	80	40m/s	38150rpm	25	FW11113
25×10×3	120	40m/s	38150rpm	25	FW11114
25×10×3	150	40m/s	38150rpm	25	FW11115
25×10×3	240	40m/s	38150rpm	25	FW11116
25×10×3	320	40m/s	38150rpm	25	FW11117
25×10×3	400	40m/s	38150rpm	25	FW11118
25×10×6	40	40m/s	38150rpm	25	FW11119
25×10×6	60	40m/s	38150rpm	25	FW11120

Other dimensions custom please visit www.kytools.cn or send to beibei.liu@kytools.cn

MOUNTED FLAP WHEELS

General information




TABLE:

Mounted Flap Wheels					
Diameter (D) x Height (H) x Shaft (d) in mm	Girt (#)	Max. operating speed	Max.RPM	Packing unit/pcs.	Product Code
25×10×6	80	40m/s	38150rpm	25	FW11121
25×10×6	120	40m/s	38150rpm	25	FW11122
25×10×6	150	40m/s	38150rpm	25	FW11123
25×10×6	240	40m/s	38150rpm	25	FW11124
25×10×6	320	40m/s	38150rpm	25	FW11125
25×10×6	400	40m/s	38150rpm	25	FW11126
25×15×3	40	40m/s	30500rpm	25	FW11127
25×15×3	60	40m/s	30500rpm	25	FW11128
25×15×3	80	40m/s	30500rpm	25	FW11129
25×15×3	120	40m/s	30500rpm	25	FW11130
25×15×3	150	40m/s	30500rpm	25	FW11131
25×15×3	180	40m/s	30500rpm	25	FW11132
25×15×3	240	40m/s	30500rpm	25	FW11133
25×15×3	320	40m/s	30500rpm	25	FW11134
25×15×6	40	40m/s	30500rpm	25	FW11135
25×15×6	60	40m/s	30500rpm	25	FW11136
25×15×6	80	40m/s	30500rpm	25	FW11137
25×15×6	120	40m/s	30500rpm	25	FW11138
25×15×6	150	40m/s	30500rpm	25	FW11139
25×15×6	180	40m/s	30500rpm	25	FW11140
25×15×6	240	40m/s	30500rpm	25	FW11141
25×15×6	320	40m/s	30500rpm	25	FW11142
25×20×6	40	40m/s	30500rpm	25	FW11143
25×20×6	60	40m/s	30500rpm	25	FW11144
25×20×6	80	40m/s	30500rpm	25	FW11145
25×20×6	120	40m/s	30500rpm	25	FW11146
25×20×6	150	40m/s	30500rpm	25	FW11147
25×20×6	180	40m/s	30500rpm	25	FW11148
25×20×6	240	40m/s	30500rpm	25	FW11149
25×20×6	320	40m/s	30500rpm	25	FW11150
25×25×6	40	40m/s	30500rpm	25	FW11151
25×25×6	60	40m/s	30500rpm	25	FW11152
25×25×6	80	40m/s	30500rpm	25	FW11153
25×25×6	120	40m/s	30500rpm	25	FW11154
25×25×6	150	40m/s	30500rpm	25	FW11155
25×25×6	180	40m/s	30500rpm	25	FW11156
25×25×6	240	40m/s	30500rpm	25	FW11157
25×25×6	320	40m/s	30500rpm	25	FW11158
25×30×6	40	40m/s	30500rpm	25	FW11159
25×30×6	60	40m/s	30500rpm	25	FW11160
25×30×6	80	40m/s	30500rpm	25	FW11161
25×30×6	120	40m/s	30500rpm	25	FW11162
25×30×6	150	40m/s	30500rpm	25	FW11163
25×30×6	180	40m/s	30500rpm	25	FW11164
25×30×6	240	40m/s	30500rpm	25	FW11165
25×30×6	320	40m/s	30500rpm	25	FW11166
30×5×3	60	40m/s	25400rpm	25	FW11167
30×5×3	80	40m/s	25400rpm	25	FW11168
30×5×3	100	40m/s	25400rpm	25	FW11169
30×5×3	120	40m/s	25400rpm	25	FW11170
30×5×3	150	40m/s	25400rpm	25	FW11171
30×5×3	180	40m/s	25400rpm	25	FW11172
30×5×3	240	40m/s	25400rpm	25	FW11173
30×5×3	320	40m/s	25400rpm	25	FW11174
30×5×3	400	40m/s	25400rpm	25	FW11175
30×5×6	60	40m/s	25400rpm	25	FW11176
30×5×6	80	40m/s	25400rpm	25	FW11177
30×5×6	100	40m/s	25400rpm	25	FW11178
30×5×6	120	40m/s	25400rpm	25	FW11179
30×5×6	150	40m/s	25400rpm	25	FW11180

Other dimensions custom please visit www.kytools.cn or send to beibei.liu@kytools.cn

MOUNTED FLAP WHEELS

General information




TABLE:

Mounted Flap Wheels					
Diameter (D) x Height (H) x Shaft (d) in mm	Girth (#)	Max. operating speed	Max.RPM	Packing unit/pcs.	Product Code
30×5×6	180	40m/s	25400rpm	25	FW11181
30×5×6	240	40m/s	25400rpm	25	FW11182
30×5×6	320	40m/s	25400rpm	25	FW11183
30×5×6	400	40m/s	25400rpm	25	FW11184
30×10×3	60	40m/s	25400rpm	25	FW11185
30×10×3	80	40m/s	25400rpm	25	FW11186
30×10×3	100	40m/s	25400rpm	25	FW11187
30×10×3	120	40m/s	25400rpm	25	FW11188
30×10×3	150	40m/s	25400rpm	25	FW11189
30×10×3	180	40m/s	25400rpm	25	FW11190
30×10×3	240	40m/s	25400rpm	25	FW11191
30×10×3	320	40m/s	25400rpm	25	FW11192
30×10×3	400	40m/s	25400rpm	25	FW11193
30×10×6	40	40m/s	25400rpm	25	FW11194
30×10×6	60	40m/s	25400rpm	25	FW11195
30×10×6	80	40m/s	25400rpm	25	FW11196
30×10×6	100	40m/s	25400rpm	25	FW11197
30×10×6	120	40m/s	25400rpm	25	FW11198
30×10×6	150	40m/s	25400rpm	25	FW11199
30×10×6	180	40m/s	25400rpm	25	FW11200
30×10×6	240	40m/s	25400rpm	25	FW11201
30×10×6	320	40m/s	25400rpm	25	FW11202
30×10×6	400	40m/s	25400rpm	25	FW11203
30×15×3	40	40m/s	25400rpm	25	FW11204
30×15×3	60	40m/s	25400rpm	25	FW11205
30×15×3	80	40m/s	25400rpm	25	FW11206
30×15×3	100	40m/s	25400rpm	25	FW11207
30×15×3	120	40m/s	25400rpm	25	FW11208
30×15×3	150	40m/s	25400rpm	25	FW11209
30×15×3	180	40m/s	25400rpm	25	FW11210
30×15×3	240	40m/s	25400rpm	25	FW11211
30×15×3	320	40m/s	25400rpm	25	FW11212
30×15×3	400	40m/s	25400rpm	25	FW11213
30×15×6	40	40m/s	25400rpm	25	FW11214
30×15×6	60	40m/s	25400rpm	25	FW11215
30×15×6	80	40m/s	25400rpm	25	FW11216
30×15×6	100	40m/s	25400rpm	25	FW11217
30×15×6	120	40m/s	25400rpm	25	FW11218
30×15×6	150	40m/s	25400rpm	25	FW11219
30×15×6	180	40m/s	25400rpm	25	FW11220
30×15×6	240	40m/s	25400rpm	25	FW11221
30×15×6	320	40m/s	25400rpm	25	FW11222
30×15×6	400	40m/s	25400rpm	25	FW11223
30×20×6	40	40m/s	25400rpm	25	FW11224
30×20×6	60	40m/s	25400rpm	25	FW11225
30×20×6	80	40m/s	25400rpm	25	FW11226
30×20×6	100	40m/s	25400rpm	25	FW11227
30×20×6	120	40m/s	25400rpm	25	FW11228
30×20×6	150	40m/s	25400rpm	25	FW11229
30×20×6	180	40m/s	25400rpm	25	FW11230
30×20×6	240	40m/s	25400rpm	25	FW11231
30×20×6	320	40m/s	25400rpm	25	FW11232
30×20×6	400	40m/s	25400rpm	25	FW11233
30×25×6	40	40m/s	25400rpm	25	FW11234
30×25×6	60	40m/s	25400rpm	25	FW11235
30×25×6	80	40m/s	25400rpm	25	FW11236
30×25×6	100	40m/s	25400rpm	25	FW11237
30×25×6	120	40m/s	25400rpm	25	FW11238
30×25×6	150	40m/s	25400rpm	25	FW11239
30×25×6	180	40m/s	25400rpm	25	FW11240

Other dimensions custom please visit www.kytools.cn or send to beibei.liu@kytools.cn

MOUNTED FLAP WHEELS

General information




TABLE:

Mounted Flap Wheels					
Diameter (D) x Height (H) x Shaft (d) in mm	Girth (#)	Max. operating speed	Max.RPM	Packing unit/pcs.	Product Code
30×25×6	240	40m/s	25400rpm	25	FW11241
30×25×6	320	40m/s	25400rpm	25	FW11242
30×25×6	400	40m/s	25400rpm	25	FW11243
30×30×6	40	40m/s	25400rpm	25	FW11244
30×30×6	60	40m/s	25400rpm	25	FW11245
30×30×6	80	40m/s	25400rpm	25	FW11246
30×30×6	100	40m/s	25400rpm	25	FW11247
30×30×6	120	40m/s	25400rpm	25	FW11248
30×30×6	150	40m/s	25400rpm	25	FW11249
30×30×6	180	40m/s	25400rpm	25	FW11250
30×30×6	240	40m/s	25400rpm	25	FW11251
30×30×6	320	40m/s	25400rpm	25	FW11252
30×30×6	400	40m/s	25400rpm	25	FW11253
40×5×6	40	40m/s	19000rpm	25	FW11254
40×5×6	60	40m/s	19000rpm	25	FW11255
40×5×6	80	40m/s	19000rpm	25	FW11256
40×5×6	100	40m/s	19000rpm	25	FW11257
40×5×6	120	40m/s	19000rpm	25	FW11258
40×5×6	150	40m/s	19000rpm	25	FW11259
40×5×6	180	40m/s	19000rpm	25	FW11260
40×5×6	240	40m/s	19000rpm	25	FW11261
40×5×6	320	40m/s	19000rpm	25	FW11262
40×5×6	400	40m/s	19000rpm	25	FW11263
40×10×6	40	40m/s	19000rpm	25	FW11264
40×10×6	60	40m/s	19000rpm	25	FW11265
40×10×6	80	40m/s	19000rpm	25	FW11266
40×10×6	100	40m/s	19000rpm	25	FW11267
40×10×6	120	40m/s	19000rpm	25	FW11268
40×10×6	150	40m/s	19000rpm	25	FW11269
40×10×6	180	40m/s	19000rpm	25	FW11270
40×10×6	240	40m/s	19000rpm	25	FW11271
40×10×6	320	40m/s	19000rpm	25	FW11272
40×10×6	400	40m/s	19000rpm	25	FW11273
40×10×6	600	40m/s	19000rpm	25	FW11274
40×15×6	40	40m/s	19000rpm	25	FW11275
40×15×6	60	40m/s	19000rpm	25	FW11276
40×15×6	80	40m/s	19000rpm	25	FW11277
40×15×6	100	40m/s	19000rpm	25	FW11278
40×15×6	120	40m/s	19000rpm	25	FW11279
40×15×6	150	40m/s	19000rpm	25	FW11280
40×15×6	180	40m/s	19000rpm	25	FW11281
40×15×6	240	40m/s	19000rpm	25	FW11282
40×15×6	320	40m/s	19000rpm	25	FW11283
40×15×6	400	40m/s	19000rpm	25	FW11284
40×15×6	600	40m/s	19000rpm	25	FW11285
40×20×6	40	40m/s	19000rpm	25	FW11286
40×20×6	60	40m/s	19000rpm	25	FW11287
40×20×6	80	40m/s	19000rpm	25	FW11288
40×20×6	100	40m/s	19000rpm	25	FW11289
40×20×6	120	40m/s	19000rpm	25	FW11290
40×20×6	150	40m/s	19000rpm	25	FW11291
40×20×6	180	40m/s	19000rpm	25	FW11292
40×20×6	240	40m/s	19000rpm	25	FW11293
40×20×6	320	40m/s	19000rpm	25	FW11294
40×20×6	400	40m/s	19000rpm	25	FW11295
40×20×6	600	40m/s	19000rpm	25	FW11296
40×25×6	40	40m/s	19000rpm	25	FW11297
40×25×6	60	40m/s	19000rpm	25	FW11298
40×25×6	80	40m/s	19000rpm	25	FW11299
40×25×6	100	40m/s	19000rpm	25	FW11300

Other dimensions custom please visit www.kytools.cn or send to beibei.liu@kytools.cn

MOUNTED FLAP WHEELS

General information




TABLE:

Mounted Flap Wheels					
Diameter (D) x Height (H) x Shaft (d) in mm	Girt (#)	Max. operating speed	Max.RPM	Packing unit/pcs.	Product Code
40×25×6	120	40m/s	19000rpm	25	FW11301
40×25×6	150	40m/s	19000rpm	25	FW11302
40×25×6	180	40m/s	19000rpm	25	FW11303
40×25×6	240	40m/s	19000rpm	25	FW11304
40×25×6	320	40m/s	19000rpm	25	FW11305
40×25×6	400	40m/s	19000rpm	25	FW11306
40×25×6	600	40m/s	19000rpm	25	FW11307
40×30×6	40	40m/s	19000rpm	25	FW11308
40×30×6	60	40m/s	19000rpm	25	FW11309
40×30×6	80	40m/s	19000rpm	25	FW11310
40×30×6	100	40m/s	19000rpm	25	FW11311
40×30×6	120	40m/s	19000rpm	25	FW11312
40×30×6	150	40m/s	19000rpm	25	FW11313
40×30×6	180	40m/s	19000rpm	25	FW11314
40×30×6	240	40m/s	19000rpm	25	FW11315
40×30×6	320	40m/s	19000rpm	25	FW11316
40×30×6	400	40m/s	19000rpm	25	FW11317
40×30×6	600	40m/s	19000rpm	25	FW11318
40×40×6	40	40m/s	19000rpm	25	FW11319
40×40×6	60	40m/s	19000rpm	25	FW11320
40×40×6	80	40m/s	19000rpm	25	FW11321
40×40×6	100	40m/s	19000rpm	25	FW11322
40×40×6	120	40m/s	19000rpm	25	FW11323
40×40×6	150	40m/s	19000rpm	25	FW11324
40×40×6	180	40m/s	19000rpm	25	FW11325
40×40×6	240	40m/s	19000rpm	25	FW11326
40×40×6	320	40m/s	19000rpm	25	FW11327
40×40×6	400	40m/s	19000rpm	25	FW11328
40×40×6	600	40m/s	19000rpm	25	FW11329
50×5×6	40	40m/s	15200rpm	25	FW11330
50×5×6	60	40m/s	15200rpm	25	FW11331
50×5×6	80	40m/s	15200rpm	25	FW11332
50×5×6	100	40m/s	15200rpm	25	FW11333
50×5×6	120	40m/s	15200rpm	25	FW11334
50×5×6	150	40m/s	15200rpm	25	FW11335
50×5×6	180	40m/s	15200rpm	25	FW11336
50×5×6	240	40m/s	15200rpm	25	FW11337
50×5×6	320	40m/s	15200rpm	25	FW11338
50×5×6	400	40m/s	15200rpm	25	FW11339
50×5×6	600	40m/s	15200rpm	25	FW11340
50×10×6	40	40m/s	15200rpm	25	FW11341
50×10×6	60	40m/s	15200rpm	25	FW11342
50×10×6	80	40m/s	15200rpm	25	FW11343
50×10×6	100	40m/s	15200rpm	25	FW11344
50×10×6	120	40m/s	15200rpm	25	FW11345
50×10×6	150	40m/s	15200rpm	25	FW11346
50×10×6	180	40m/s	15201rpm	25	FW11347
50×10×6	240	40m/s	15202rpm	25	FW11348
50×10×6	320	40m/s	15203rpm	25	FW11349
50×15×6	40	40m/s	15200rpm	25	FW11350
50×15×6	60	40m/s	15200rpm	25	FW11351
50×15×6	80	40m/s	15200rpm	25	FW11352
50×15×6	120	40m/s	15200rpm	25	FW11353
50×15×6	240	40m/s	15200rpm	25	FW11354
50×15×6	320	40m/s	15200rpm	25	FW11355
50×20×6	40	40m/s	15200rpm	25	FW11356
50×20×6	60	40m/s	15200rpm	25	FW11357
50×20×6	80	40m/s	15200rpm	25	FW11358
50×20×6	100	40m/s	15200rpm	25	FW11359
50×20×6	120	40m/s	15200rpm	25	FW11360

Other dimensions custom please visit www.kytools.cn or send to beibei.liu@kytools.cn

MOUNTED FLAP WHEELS

General information




TABLE:

Mounted Flap Wheels					
Diameter (D) x Height (H) x Shaft (d) in mm	Girth (#)	Max. operating speed	Max.RPM	Packing unit/pcs.	Product Code
50×20×6	150	40m/s	15200rpm	25	FW11361
50×20×6	180	40m/s	15200rpm	25	FW11362
50×20×6	240	40m/s	15200rpm	25	FW11363
50×20×6	320	40m/s	15200rpm	25	FW11364
50×20×6	400	40m/s	15200rpm	25	FW11365
50×20×6	600	40m/s	15200rpm	25	FW11366
50×30×6	40	40m/s	15200rpm	25	FW11367
50×30×6	60	40m/s	15200rpm	25	FW11368
50×30×6	80	40m/s	15200rpm	25	FW11369
50×30×6	100	40m/s	15200rpm	25	FW11370
50×30×6	120	40m/s	15200rpm	25	FW11371
50×30×6	150	40m/s	15200rpm	25	FW11372
50×30×6	180	40m/s	15200rpm	25	FW11373
50×30×6	240	40m/s	15200rpm	25	FW11374
50×30×6	320	40m/s	15200rpm	25	FW11375
50×30×6	400	40m/s	15200rpm	25	FW11376
50×30×6	600	40m/s	15200rpm	25	FW11377
50×40×6	40	40m/s	15200rpm	25	FW11378
50×40×6	60	40m/s	15200rpm	25	FW11379
50×40×6	80	40m/s	15200rpm	25	FW11380
50×40×6	100	40m/s	15200rpm	25	FW11381
50×40×6	120	40m/s	15200rpm	25	FW11382
50×40×6	150	40m/s	15200rpm	25	FW11383
50×40×6	180	40m/s	15200rpm	25	FW11384
50×40×6	240	40m/s	15200rpm	25	FW11385
50×40×6	320	40m/s	15200rpm	25	FW11386
50×40×6	400	40m/s	15200rpm	25	FW11387
50×40×6	600	40m/s	15200rpm	25	FW11388
50×50×6	40	40m/s	15200rpm	25	FW11389
50×50×6	60	40m/s	15200rpm	25	FW11390
50×50×6	80	40m/s	15200rpm	25	FW11391
50×50×6	100	40m/s	15200rpm	25	FW11392
50×50×6	120	40m/s	15200rpm	25	FW11393
50×50×6	150	40m/s	15200rpm	25	FW11394
50×50×6	180	40m/s	15200rpm	25	FW11395
50×50×6	240	40m/s	15200rpm	25	FW11396
50×50×6	320	40m/s	15200rpm	25	FW11397
50×50×6	400	40m/s	15200rpm	25	FW11398
50×50×6	600	40m/s	15200rpm	25	FW11399
60×05×6	40	40m/s	12700rpm	25	FW11400
60×05×6	60	40m/s	12700rpm	25	FW11401
60×05×6	80	40m/s	12700rpm	25	FW11402
60×05×6	120	40m/s	12700rpm	25	FW11403
60×05×6	150	40m/s	12700rpm	25	FW11404
60×05×6	240	40m/s	12700rpm	25	FW11405
60×05×6	320	40m/s	12700rpm	25	FW11406
60×05×6	400	40m/s	12700rpm	25	FW11407
60×05×6	600	40m/s	12700rpm	25	FW11408
60×10×6	40	40m/s	12700rpm	25	FW11409
60×10×6	60	40m/s	12700rpm	25	FW11410
60×10×6	80	40m/s	12700rpm	25	FW11411
60×10×6	120	40m/s	12700rpm	25	FW11412
60×10×6	150	40m/s	12700rpm	25	FW11413
60×10×6	240	40m/s	12700rpm	25	FW11414
60×10×6	320	40m/s	12700rpm	25	FW11415
60×10×6	400	40m/s	12700rpm	25	FW11416
60×10×6	600	40m/s	12700rpm	25	FW11417
60×15×6	40	40m/s	12700rpm	25	FW11418
60×15×6	60	40m/s	12700rpm	25	FW11419
60×15×6	80	40m/s	12700rpm	25	FW11420

Other dimensions custom please visit www.kytools.cn or send to beibei.liu@kytools.cn

MOUNTED FLAP WHEELS

General information




TABLE:

Mounted Flap Wheels					
Diameter (D) x Height (H) x Shaft (d) in mm	Girth (#)	Max. operating speed	Max.RPM	Packing unit/pcs.	Product Code
60×15×6	120	40m/s	12700rpm	25	FW11421
60×15×6	150	40m/s	12700rpm	25	FW11422
60×15×6	240	40m/s	12700rpm	25	FW11423
60×15×6	320	40m/s	12700rpm	25	FW11424
60×15×6	400	40m/s	12700rpm	25	FW11425
60×15×6	600	40m/s	12700rpm	25	FW11426
60×20×6	40	40m/s	12700rpm	25	FW11427
60×20×6	60	40m/s	12700rpm	25	FW11428
60×20×6	80	40m/s	12700rpm	25	FW11429
60×20×6	120	40m/s	12700rpm	25	FW11430
60×20×6	150	40m/s	12700rpm	25	FW11431
60×20×6	240	40m/s	12700rpm	25	FW11432
60×20×6	320	40m/s	12700rpm	25	FW11433
60×20×6	400	40m/s	12700rpm	25	FW11434
60×20×6	600	40m/s	12700rpm	25	FW11435
60×25×6	40	40m/s	12700rpm	25	FW11436
60×25×6	60	40m/s	12700rpm	25	FW11437
60×25×6	80	40m/s	12700rpm	25	FW11438
60×25×6	120	40m/s	12700rpm	25	FW11439
60×25×6	150	40m/s	12700rpm	25	FW11440
60×25×6	240	40m/s	12700rpm	25	FW11441
60×25×6	320	40m/s	12700rpm	25	FW11442
60×25×6	400	40m/s	12700rpm	25	FW11443
60×25×6	600	40m/s	12700rpm	25	FW11444
60×30×6	40	40m/s	12700rpm	25	FW11445
60×30×6	60	40m/s	12700rpm	25	FW11446
60×30×6	80	40m/s	12700rpm	25	FW11447
60×30×6	100	40m/s	12700rpm	25	FW11448
60×30×6	120	40m/s	12700rpm	25	FW11449
60×30×6	150	40m/s	12700rpm	25	FW11450
60×30×6	180	40m/s	12700rpm	25	FW11451
60×30×6	240	40m/s	12700rpm	25	FW11452
60×30×6	320	40m/s	12700rpm	25	FW11453
60×30×6	400	40m/s	12700rpm	25	FW11454
60×30×6	600	40m/s	12700rpm	25	FW11455
60×40×6	40	40m/s	12700rpm	25	FW11456
60×40×6	60	40m/s	12700rpm	25	FW11457
60×40×6	80	40m/s	12700rpm	25	FW11458
60×40×6	100	40m/s	12700rpm	25	FW11459
60×40×6	120	40m/s	12700rpm	25	FW11460
60×40×6	150	40m/s	12700rpm	25	FW11461
60×40×6	240	40m/s	12700rpm	25	FW11462
60×40×6	320	40m/s	12700rpm	25	FW11463
60×40×6	400	40m/s	12700rpm	25	FW11464
60×40×6	600	40m/s	12700rpm	25	FW11465
60×50×6	40	40m/s	10150rpm	25	FW11466
60×50×6	60	32m/s	10150rpm	25	FW11467
60×50×6	80	32m/s	10150rpm	25	FW11468
60×50×6	120	32m/s	10150rpm	25	FW11469
60×50×6	180	32m/s	10150rpm	25	FW11470
60×50×6	240	40m/s	10150rpm	25	FW11471
60×50×6	320	40m/s	10150rpm	25	FW11472
75×5×6	40	40m/s	9500rpm	10	FW11473
75×5×6	60	40m/s	9500rpm	10	FW11474
75×5×6	80	40m/s	9500rpm	10	FW11475
75×5×6	120	40m/s	9500rpm	10	FW11476
75×5×6	150	40m/s	9500rpm	10	FW11477
75×5×6	180	40m/s	9500rpm	10	FW11478
75×5×6	240	40m/s	9500rpm	10	FW11479
75×5×6	320	40m/s	9500rpm	10	FW11480

Other dimensions custom please visit www.kytools.cn or send to beibei.liu@kytools.cn

MOUNTED FLAP WHEELS

General information




TABLE:

Mounted Flap Wheels					
Diameter (D) x Height (H) x Shaft (d) in mm	Girt (#)	Max. operating speed	Max.RPM	Packing unit/pcs.	Product Code
75×10×6	40	40m/s	9500rpm	10	FW11481
75×10×6	60	40m/s	9500rpm	10	FW11482
75×10×6	80	40m/s	9500rpm	10	FW11483
75×10×6	120	40m/s	9500rpm	10	FW11484
75×10×6	150	40m/s	9500rpm	10	FW11485
75×10×6	180	40m/s	9500rpm	10	FW11486
75×10×6	240	40m/s	9500rpm	10	FW11487
75×10×6	320	40m/s	9500rpm	10	FW11488
75×15×6	40	40m/s	9500rpm	10	FW11489
75×15×6	60	40m/s	9500rpm	10	FW11490
75×15×6	80	40m/s	9500rpm	10	FW11491
75×15×6	100	40m/s	9500rpm	10	FW11492
75×15×6	120	40m/s	9500rpm	10	FW11493
75×15×6	150	40m/s	9500rpm	10	FW11494
75×15×6	180	40m/s	9500rpm	10	FW11495
75×15×6	240	40m/s	9500rpm	10	FW11496
75×15×6	320	40m/s	9500rpm	10	FW11497
75×15×6	400	40m/s	9500rpm	10	FW11498
75×15×6	600	40m/s	9500rpm	10	FW11499
75×20×6	40	40m/s	9500rpm	10	FW11500
75×20×6	60	40m/s	9500rpm	10	FW11501
75×20×6	80	40m/s	9500rpm	10	FW11502
75×20×6	100	40m/s	9500rpm	10	FW11503
75×20×6	120	40m/s	9500rpm	10	FW11504
75×20×6	150	40m/s	9500rpm	10	FW11505
75×20×6	180	40m/s	9500rpm	10	FW11506
75×20×6	240	40m/s	9500rpm	10	FW11507
75×20×6	320	40m/s	9500rpm	10	FW11508
75×20×6	400	40m/s	9500rpm	10	FW11509
75×20×6	600	40m/s	9500rpm	10	FW11510
75×25×6	40	40m/s	9500rpm	10	FW11511
75×25×6	60	40m/s	9500rpm	10	FW11512
75×25×6	80	40m/s	9500rpm	10	FW11513
75×25×6	100	40m/s	9500rpm	10	FW11514
75×25×6	120	40m/s	9500rpm	10	FW11515
75×25×6	150	40m/s	9500rpm	10	FW11516
75×25×6	180	40m/s	9500rpm	10	FW11517
75×25×6	240	40m/s	9500rpm	10	FW11518
75×25×6	320	40m/s	9500rpm	10	FW11519
75×25×6	400	40m/s	9500rpm	10	FW11520
75×25×6	600	40m/s	9500rpm	10	FW11521
75×30×6	40	40m/s	9500rpm	10	FW11522
75×30×6	60	40m/s	9500rpm	10	FW11523
75×30×6	80	40m/s	9500rpm	10	FW11524
75×30×6	100	40m/s	9500rpm	10	FW11525
75×30×6	120	40m/s	9500rpm	10	FW11526
75×30×6	150	40m/s	9500rpm	10	FW11527
75×30×6	180	40m/s	9500rpm	10	FW11528
75×30×6	240	40m/s	9500rpm	10	FW11529
75×30×6	320	40m/s	9500rpm	10	FW11530
75×30×6	400	40m/s	9500rpm	10	FW11531
75×30×6	600	40m/s	9500rpm	10	FW11532
75×40×6	40	40m/s	9500rpm	10	FW11533
75×40×6	60	40m/s	9500rpm	10	FW11534
75×40×6	80	40m/s	9500rpm	10	FW11535
75×40×6	100	40m/s	9500rpm	10	FW11536
75×40×6	120	40m/s	9500rpm	10	FW11537
75×40×6	150	40m/s	9500rpm	10	FW11538
75×40×6	180	40m/s	9500rpm	10	FW11539
75×40×6	240	40m/s	9500rpm	10	FW11540

Other dimensions custom please visit www.kytools.cn or send to beibei.liu@kytools.cn

MOUNTED FLAP WHEELS

General information




TABLE:

Mounted Flap Wheels					
Diameter (D) x Height (H) x Shaft (d) in mm	Girt (#)	Max. operating speed	Max.RPM	Packing unit/pcs.	Product Code
75×40×6	320	40m/s	9500rpm	10	FW11541
75×40×6	400	40m/s	9500rpm	10	FW11542
75×40×6	600	40m/s	9500rpm	10	FW11543
75×40×6	40	40m/s	9500rpm	10	FW11544
75×50×6	60	40m/s	9500rpm	10	FW11545
75×50×6	80	40m/s	9500rpm	10	FW11546
75×50×6	100	40m/s	9500rpm	10	FW11547
75×50×6	120	40m/s	9500rpm	10	FW11548
75×50×6	150	40m/s	9500rpm	10	FW11549
75×50×6	180	40m/s	9500rpm	10	FW11550
75×50×6	240	40m/s	9500rpm	10	FW11551
75×50×6	320	40m/s	9500rpm	10	FW11552
75×50×6	400	40m/s	9500rpm	10	FW11553
75×50×6	600	40m/s	9500rpm	10	FW11554
75×60×6	60	40m/s	9500rpm	10	FW11555
75×60×6	80	40m/s	9500rpm	10	FW11556
75×60×6	100	40m/s	9500rpm	10	FW11557
75×60×6	120	40m/s	9500rpm	10	FW11558
75×60×6	150	40m/s	9500rpm	10	FW11559
75×60×6	180	40m/s	9500rpm	10	FW11560
75×60×6	240	40m/s	9500rpm	10	FW11561
75×60×6	320	40m/s	9500rpm	10	FW11562
75×60×6	400	40m/s	9500rpm	10	FW11563
75×60×6	600	40m/s	9500rpm	10	FW11564
80×5×6	40	40m/s	9500rpm	10	FW11565
80×5×6	60	40m/s	9500rpm	10	FW11566
80×5×6	80	40m/s	9500rpm	10	FW11567
80×5×6	120	40m/s	9500rpm	10	FW11568
80×5×6	150	40m/s	9500rpm	10	FW11569
80×5×6	180	40m/s	9500rpm	10	FW11570
80×5×6	240	40m/s	9500rpm	10	FW11571
80×5×6	320	40m/s	9500rpm	10	FW11572
80×10×6	40	40m/s	9500rpm	10	FW11573
80×10×6	60	40m/s	9500rpm	10	FW11574
80×10×6	80	40m/s	9500rpm	10	FW11575
80×10×6	120	40m/s	9500rpm	10	FW11576
80×10×6	150	40m/s	9500rpm	10	FW11577
80×10×6	180	40m/s	9500rpm	10	FW11578
80×10×6	240	40m/s	9500rpm	10	FW11579
80×10×6	320	40m/s	9500rpm	10	FW11580
80×15×6	40	40m/s	9500rpm	10	FW11581
80×15×6	60	40m/s	9500rpm	10	FW11582
80×15×6	80	40m/s	9500rpm	10	FW11583
80×15×6	100	40m/s	9500rpm	10	FW11584
80×15×6	120	40m/s	9500rpm	10	FW11585
80×15×6	150	40m/s	9500rpm	10	FW11586
80×15×6	180	40m/s	9500rpm	10	FW11587
80×15×6	240	40m/s	9500rpm	10	FW11588
80×15×6	320	40m/s	9500rpm	10	FW11589
80×15×6	400	40m/s	9500rpm	10	FW11590
80×15×6	600	40m/s	9500rpm	10	FW11591
80×20×6	40	40m/s	9500rpm	10	FW11592
80×20×6	60	40m/s	9500rpm	10	FW11593
80×20×6	80	40m/s	9500rpm	10	FW11594
80×20×6	120	40m/s	9500rpm	10	FW11595
80×20×6	150	40m/s	9500rpm	10	FW11596
80×20×6	180	40m/s	9500rpm	10	FW11597
80×20×6	240	40m/s	9500rpm	10	FW11598
80×20×6	320	40m/s	9500rpm	10	FW11599
80×20×6	400	40m/s	9500rpm	10	FW11600

Other dimensions custom please visit www.kytools.cn or send to beibei.liu@kytools.cn

MOUNTED FLAP WHEELS

General information




TABLE:

Mounted Flap Wheels					
Diameter (D) x Height (H) x Shaft (d) in mm	Girt (#)	Max. operating speed	Max.RPM	Packing unit/pcs.	Product Code
80×20×6	600	40m/s	9500rpm	10	FW11601
80×25×6	40	40m/s	9500rpm	10	FW11602
80×25×6	60	40m/s	9500rpm	10	FW11603
80×25×6	80	40m/s	9500rpm	10	FW11604
80×25×6	120	40m/s	9500rpm	10	FW11605
80×25×6	150	40m/s	9500rpm	10	FW11606
80×25×6	180	40m/s	9500rpm	10	FW11607
80×25×6	240	40m/s	9500rpm	10	FW11608
80×25×6	320	40m/s	9500rpm	10	FW11609
80×25×6	400	40m/s	9500rpm	10	FW11610
80×25×6	600	40m/s	9500rpm	10	FW11611
80×30×6	40	40m/s	9500rpm	10	FW11612
80×30×6	60	40m/s	9500rpm	10	FW11613
80×30×6	80	40m/s	9500rpm	10	FW11614
80×30×6	120	40m/s	9500rpm	10	FW11615
80×30×6	150	40m/s	9500rpm	10	FW11616
80×30×6	180	40m/s	9500rpm	10	FW11617
80×30×6	240	40m/s	9500rpm	10	FW11618
80×30×6	320	40m/s	9500rpm	10	FW11619
80×30×6	400	40m/s	9500rpm	10	FW11620
80×30×6	600	40m/s	9500rpm	10	FW11621
80×40×6	40	40m/s	9500rpm	10	FW11622
80×40×6	60	40m/s	9500rpm	10	FW11623
80×40×6	80	40m/s	9500rpm	10	FW11624
80×40×6	120	32m/s	9500rpm	10	FW11625
80×40×6	150	32m/s	9500rpm	10	FW11626
80×40×6	180	32m/s	9500rpm	10	FW11627
80×40×6	240	32m/s	9500rpm	10	FW11628
80×40×6	320	32m/s	9500rpm	10	FW11629
80×40×6	400	32m/s	9500rpm	10	FW11630
80×40×6	600	32m/s	7650rpm	10	FW11631
80×50×6	40	32m/s	7650rpm	10	FW11632
80×50×6	60	32m/s	7650rpm	10	FW11633
80×50×6	80	32m/s	7650rpm	10	FW11634
80×50×6	120	32m/s	7650rpm	10	FW11635
80×50×6	150	32m/s	7650rpm	10	FW11636
80×50×6	180	32m/s	7650rpm	10	FW11637
80×50×6	240	32m/s	7650rpm	10	FW11638
80×50×6	320	32m/s	7650rpm	10	FW11639
80×50×6	400	32m/s	7650rpm	10	FW11640
80×50×6	600	32m/s	7650rpm	10	FW11641
100×5×6	40	25m/s	6120rpm	10	FW11642
100×5×6	60	25m/s	6120rpm	10	FW11643
100×5×6	80	25m/s	6120rpm	10	FW11644
100×5×6	120	25m/s	6120rpm	10	FW11645
100×5×6	150	25m/s	6120rpm	10	FW11646
100×5×6	180	25m/s	6120rpm	10	FW11647
100×5×6	240	25m/s	6120rpm	10	FW11648
100×5×6	320	25m/s	6120rpm	10	FW11649
100×10×6	40	25m/s	6120rpm	10	FW11650
100×10×6	60	25m/s	6120rpm	10	FW11651
100×10×6	80	25m/s	6120rpm	10	FW11652
100×10×6	120	25m/s	6120rpm	10	FW11653
100×10×6	150	25m/s	6120rpm	10	FW11654
100×10×6	180	25m/s	6120rpm	10	FW11655
100×10×6	240	25m/s	6120rpm	10	FW11656
100×10×6	320	25m/s	6120rpm	10	FW11657
100×15×6	40	25m/s	6120rpm	10	FW11658
100×15×6	60	25m/s	6120rpm	10	FW11659
100×15×6	80	25m/s	6120rpm	10	FW11660

Other dimensions custom please visit www.kytools.cn or send to beibei.liu@kytools.cn

MOUNTED FLAP WHEELS

General information




TABLE:


Mounted Flap Wheels					
Diameter (D) x Height (H) x Shaft (d) in mm	Grit (#)	Max. operating speed	Max.RPM	Packing unit/pcs.	Product Code
100×15×6	100	25m/s	6120rpm	10	FW11661
100×15×6	120	25m/s	6120rpm	10	FW11662
100×15×6	150	25m/s	6120rpm	10	FW11663
100×15×6	180	25m/s	6120rpm	10	FW11664
100×15×6	240	25m/s	6120rpm	10	FW11665
100×15×6	320	25m/s	6120rpm	10	FW11666
100×20×6	40	25m/s	6120rpm	10	FW11667
100×20×6	60	25m/s	6120rpm	10	FW11668
100×20×6	80	25m/s	6120rpm	10	FW11669
100×20×6	120	25m/s	6120rpm	10	FW11670
100×20×6	150	25m/s	6120rpm	10	FW11671
100×20×6	180	25m/s	6120rpm	10	FW11672
100×20×6	240	25m/s	6120rpm	10	FW11673
100×20×6	320	25m/s	6120rpm	10	FW11674
100×20×6	400	25m/s	6120rpm	10	FW11675
100×20×6	600	25m/s	6120rpm	10	FW11676
100×25×6	40	25m/s	6120rpm	10	FW11677
100×25×6	60	25m/s	6120rpm	10	FW11678
100×25×6	80	25m/s	6120rpm	10	FW11679
100×25×6	120	25m/s	6120rpm	10	FW11680
100×25×6	150	25m/s	6120rpm	10	FW11681
100×25×6	180	25m/s	6120rpm	10	FW11682
100×25×6	240	25m/s	6120rpm	10	FW11683
100×25×6	320	25m/s	6120rpm	10	FW11684
100×25×6	400	25m/s	6120rpm	10	FW11685
100×25×6	600	25m/s	6120rpm	10	FW11686

Other dimensions custom please visit www.kytools.cn or send to beibei.liu@kytools.cn

PRODUCT CHARACTERIZATION YOU CAN CHOOSE

- ▶ **Raw material:** Aluminum Oxide(AO)、Zirconia(ZR)、Silicon Carbide(SC)、Ceramic Aluminum Oxide Combined (CAO)
- ▶ **Cloth base:** High quality domestic cloth base、pure import cloth base
- ▶ **Effect:** Fine polishing
- ▶ **Particle size:** 40-600 grit (800#-1200# are available for Silicon Carbide customizing)
- ▶ **Handle length:** 30mm、 35mm、 other lengths can be customized
- ▶ **Inner hole size range:** 3mm、 6mm、 3.175mm、 6.35mm、 8mm、 10mm、 Other sizes can be customized
- ▶ **Outer diameter range:** 10mm-100mm、 other sizes can be customized
- ▶ **Features:** High performance、strong grinding force、 fast heat dissipation、 low consumption、 long service life and low dust
- ▶ **Applications:** Stainless steel、 metal、 non-ferrous metals、 aluminum alloy products、 cast iron and so on
- ▶ **Applicable tools:** Power tools、 air tools、 straight grinders、 robots and other tools
- ▶ **Application:** Widely used in various metal surface treatment、 rust removal、 deburring、 cleaning of soldering、 cleaning coating、 polishing、 polishing and brightening、 painting pretreatment more informtion please find in www.kytools.cn

PRODUCT DETAILS:



MOUNTED FLAP WHEELS

General information



GRIT GUIDE:

40	60	80	120	180	240	320	400	600	
Preliminary processing of severe surface scratches									
Remove rough burrs or bumps									
Grind deeper laser engraving marks or abrasive groove faces									
Clean up rust, nicks or welds									
	Pre-painting before painting								
	Medium-term polishing and smoothing								
	Slight scratches or brushed finishes								
					Fine grinding and polishing				
						Finishing and translucent processing of various metal surfaces			
								Mirror processing	

APPLICATION GUIDE:



Various metals、
stainless steel、
aluminum alloy、
steel and so on



Marble

Wood



Casting



TOOLS: Power tools、 air tools、 straight grinders、 robots and other tools

